



News for 01/04/08

Happy New Year, friends!

We hope the new year brings good things to all. Our 4500 series carbs brochure was the first to sport the specs table. It lets you compare all the members of the series at a glance. We've found it to be such a useful tool that we've incorporated similar tables in all our carb series brochures. See the carbs section of our website for a complete selection.

John


PS: If anybody has a copy of my 1992 Superflow Presentation on VHS, please contact me.

dAM 4500 Series Carb **"The switch is on"**



The *dAMBEST* billet carb is the most powerful and responsive carb of its size. Every angle of throttle position is adjustable, and adjustable linkage allows control of the rate at which the secondary is applied.

Its light weight, patent pending billet housing has 200% more booster signal which, in conjunction with dAM's patented emulsion system, gives about 100x the emulsification of modified other brands.



Pictured is 1.750". Many more sizes available:
1.875, 2.000, 2.125, 2.250".

Butterfly	CFM at 10" water	CFM at 20" water	Booster Signal at inches of water	HP Range
1.750"	947	1329	86" at 20"	650-1000
1.875"	1050	1456	45" at 10"	750-1100
2.000"	1200	1692	39" at 10"	850-1400

dAM has five US patents in fuel emulsion technology incorporated into the metering blocks to reduce droplets to previously unattainable size. Standard hardware makes tuning easy and affordable.

This brand new multi-fuel throttle-body-replacement carburetor has application in towing, motor homes, and boats. It can use Gasoline, E-85, and Methanol.

Features include:

- New light weight: a mere 10 lbs.
- Bottom feed needle & seats to reduce fuel foaming.
- Improved fuel view window.
- Bottom feed, skirted booster standard on 1.875 & 2.000".

Every dAM carb is serial numbered with it's own build sheet, and wet flow sheet.
dAM Machine Shop, Inc. (845) 473-1136 <http://www.dambest.com>

Visit dambest.com.

If you do not wish to receive this News Letter, just reply with REMOVE.